NATIONAL ORGANIZATION

SONS OF UNION VETERANS OF THE CIVIL WAR

CIVIL WAR MEMORIAL ASSESSMENT FORM

PLEASE:		
Type or print, using a ball-point pen, when		
. Do not guess at the information. An answ	•	•
 Include a photograph of each viewable side a 	ing ladel it with name & G	- Thank You .
Type of Memorial		- Hidin IVU.
Type of Memorial	and of Addition	0
Monument with Sculpture	Monument with (
Monument without Sculpture	X Historical Market	r Plaque
Affiliation		
G.A.R. (Post Name & No)	M.O.L.L.U.S.
W.R.C. (Corps Name & No)	Other Allied Order
SUVCW (Camp Name & No		(Please describe below)
DUVCW (Tent Name & No		·
X Other: Missouri Dept of Natural Resources, Div of State Par	ks, Fort Davidson State Historic Sit	le
local paper's article that would have information on the first Please submit a copy of your findings with full identification of Location The Memorial is currently located at: Street/Road address or site location Fort David	f the paper & date of publication son SHS Grounds W90°38'24"	ther facts on the memorial n. Thank you. N37°37'13"
City/Village Pilot Knob Township	County Iro	ภา 🤺
The front of the Memorial faces: North	X South Ea	ast West
Government Body, Agency, or Individual Owner Name Fort Davidson State Historic Site	of private cemetery that Me Dept /Div. Dept of Natural	
Street Address PO Box 509 (118 East Maple St.)		
City Pilot Knob	_State <u>Mo</u> Zip Co	de <u>63663</u>
Contact Person Site Administrator	_ Telephone (573) <u>5</u>	46-3454
If the Memorial has been moved, please list for	ormer location(s)	
Physical Details Material of Monument or base under a Sculpture or Cappon	= Stone Concrete X 1	Metal Undetermined

If known, name specific material (color of granite, marble, etc.) Black aluminum

Material of the Sculpture = Sto If known, name specific material (color If the Sculpture is of metal, is it solid	of granite, marble, etc.) NA			
Material of Plaque or Historical Mar		Iment Plastic		
Material of Cannon =Bronze Markings on muzzle = N/A		-		
Markings on Left Trunion Right Trunion				
Is inert ammunition a part of the Memorial? If so, describe				
	inional? ii so, desi	A1D6		
Approximate Dimensions (indicate Monument or Base: Height 4 feet Sculpture: Height		from tallest / widest points or Diameter or Diameter		
For Memorials with multiple Sculpt sheet of paper for each statue and each statue and any weapons/imseparated from this form). Thank ye	l attach to this form. Ple	ase describe the "pose" of		
Markings/Inscriptions (on stone-w Maker or Fabricator mark / name? State Parks Exhibits Section				
The "Dedication Text" is formed:	_ cut into materialn	aised up from material face		
Record the text (indicate any separation if a	on different sides) Please us	se additional sheet if necessary.		
A dry moat surrounded Fort Davidson on all sides. During the	third and final desperate Confederate assau	lt, Arkansas troops of General William Cabell's		
brigade fought their way into the most and prepared to	climb the wall. Hand grenades were bro	ught from the magazine to drive them out.		
"We rushed back to the banquette with the grena	ades and nassed them to the men in	front with		
orders to throw them into the ditch. Pandemonium instantly broke looseMen were blown above the parapet and fell back dead; the ditches were cleared as if by magic. It struck terror to the enemy's lines, and they fell back in disorder"				
		ack in disorder		
Captain William J. Campbell 14th Iowa Volunt				
Confederate officers blamed the failure of the assault	on the depth of the most and the stee	pness of the fort walls.		
Environmental Setting (The general vicinity and immediate locale surro	ounding a memorial can play a ma	jor role in its overall condition.)		
Type of Location				
Cemetery	X Park	Plaza/Courtyard		
"Town Square"	Post Office	School		
Municipal Building	State Capitol	Other:		
Courthouse	College Campus	V44V4 .		
Traffic Circle				
Hallic Olide	Library			

General Vicinity Rural (low population, open land) Town	Suburban (residential, ne Urban / Metropolitan	ear city)
Immediate Locale (check as many as may apply Industrial Street/Roadside within 20 feet Protected from the elements (canopy or end Protected from the public (fence or other bar Any other significant environmental factor	Commercial Tree Covered (overhanging osure, indoors) rier)	
Condition Information		
Structural Condition (check as many as may a The following section applies to Monuments with Scincluding the base for Monuments with Cannon. Instability by a number of factors. Indicators may be obvious or spase.	ulpture, and Monuments without in the sculpture and its base can	be detected
	Sculpture	Base
If hollow, is the internal support unstable/exposed? (look for signs of exterior rust)		***
Any evidence of structural instability? (look for cracked joints, missing mortar or caulking or plant gr	owth)	•••
Any broken or missing parts? (look for elements (i.e., sword, musket, hands, arms, etc midue to vandalism, fluctuating weather conditions, etc.) Any cracks, splits, breaks or holes?		
(also look for signs of uneven stress & weakness in the mater	iai)	
Surface Appearance (check as many as may a	pply) Sculpture	Base
Black crusting White crusting	•	
Etched, pitted, or otherwise corroded (on metal)		
Metallic staining (run-off from copper, iron, etc.)		
Organic growth (moss, algae, lichen or vines)		
Chalky or powdery stone		
Granular eroding of stone		<u> </u>
Spalling of stone (surface splitting off)		
Droppings (bird, animal, insect remains)		
Other (e.g., spray paint graffiti) - Please describ In good shape, however photo embedment fading and the marker will		ears due to
sun bleaching.		
KEPLACE	02010	
Does water collect in recessed areas of the Memorial	?Yes _X_NoUn	able to tell

Surface Coating		
Does there appear to be a coating?	Yes X No	Unable to determine
If known, identify type of coating.		
Gilded Painted Varnishe		
Is the coating in good condition?Yes	No	X Unable to determine
Basic Surface Condition Assessment (e	check <u>one</u>)	
In your opinion, what is the general appear	rance or condition	
X Well maintained Would benefit from treatment	In urgent need	of treatment Unable to determine
Overall Description		
Briefly describe the Memorial (affiliation / overall co	ondition & any cond	cern not already touched on) .
- Add the state of		
	_	
Supplemental Background Inform		•
In addition to your on-site survey, any addition		
Memorial will be welcomed. Please label each		
date, pages). Topics include any reference to		
previous conservation treatments - or efforts to	o raise money for	treatment. Thank you.
Inspector Identification		
Date of On-site Survey 10 March 2007	 	
Your Name Walt Busch, US Grant Camp #68		
Address PO Box 509		ity Pilot Knob
State Zip Code _63663	_ Telephone (630-8407
Please send this completed form to:	•	
T 444 OF T 4 DOO		
Todd A. Shillington, PDC		
15 Park Place		
Holley, NY 14470-1022		
(585) 638-5929		
(300) 000-3323		
Thank you for your help, and attention to detail	i l.	
Thank you for your help, and attention to detail	matter than a second of the se	mod have a stronger de geographic og skip gren stor græn til have til flæder i flæder flæde skip flæder flæde Til skip skip flæde skip græn skip skip græn stor græn flæder i flæder i flæde skip skip skip skip skip skip s
. ,	matter than a second of the se	




A dry most surrounded Fort Davidson. During the third and final desperate Confederate assault, Arkansas troops of General William Cabell's brigade fought their way into the most and prepared to climb the wall. Hand grenades were brought from the magazine to drive them out.

We rushed back to the banquette with the greates and passed them to the men in front, with orders to throw them into the ditch. Pandemonium instantly broke loose ... Men were blown above the parapet and fell back dead: the ditches were cleared as if by magic. It struck terror to the enemy's lines, and they

Captain William J. Cambell, 14th Iowa Volunteer Infantry

fell back in disorder..."

Confederate officers blamed the failure of the assault on the depth of the moat and the steepness of the fort walls.



Hand grenade used in 1864